





FOUNDATION PIER DETAIL
SCALE: 3/8"=1'-0"

USE MEADOW BURKE RAPID-LIFT SYSTEM,
ITEM NUMBER 79URM (RECESS MEMBER) AND
79U40 (4" UTILITY ANCHOR) OR USE #3 BENT
REINFORCING BAR (DETAILED BELOW) OR
EQUAL.

DATE	DESCRIPTION	REV
01-10-2022	ISSUE FOR APPROVAL	Α

SMALL DIAMETER PVC PIPE IS COMMONLY CAST IN PIERS TO LEVEL PANELS. IT IS ACCEPTABLE TO BEAR THE CONCRETE PANELS ON THE PVC LEVELERS. PVC LEVELERS MUST BE SCHEDULE 40 W/ A MINIMUM NOMINAL DIAMETER OF 1".

THE PVC LEVELERS MAY EXTEND ½" MAX ABOVE THE TOP OF THE CONCRETE PIER.

NOTE: FINAL FINISH TO UNFINISHED COLUMNS TO BE SUPPLIED BY CONTRACTOR.



SHEET NAME :

8 FT-CHISELCRETE PRIVACY COLUMN

DATE :	01-10-2022	SHEET NUMBER:
SCALE:	AS PER PLAN	
SHEET SIZE	36x24	